



## Sterile Blender Bag



### Performance characteristics

1. It adopts high-strength material and will not be damaged under the strong slap of the homogenizer. The product is irradiated and sterilized, and the packaging is hygienic and safe.
2. Use high density filter to effectively filter food residue. The colony count after the culture will not be disturbed. It's suitable for rapid analytical method; the sample will maintain the same bacterial concentration after filter.
3. The bag body has a writing area for easy recording.

Model	Filter Mesh	Characteristic	Specification	Capacity	Packing	Products Display
AKJ-10(MC)	Without	Tearing side can be torn freely as use need	180 × 300mm	400ml	1000pcs/carton (20pcsx50bags)	
AKJ-20(MC)	With	Tearing side can be torn freely as use need, suitable for all kinds of pipetting equipment	190 × 300mm	400ml	500pcs/carton (20pcsx25bags)	



AKJ-30	Without	zip-lip, with self-sealing line	200*320mm	400ml	1000 pcs/carton (50 pcsx10 bags)	
AL-40	Without	Thicker version of AKJ-10	200*300mm	400ml	1000 pcs/carton (50 pcsx10 bags)	
PX0020	With	With a tear-off zipper for all types of pipetting equipment	190x300mm	400ml	500pcs/carton (20pcsx25bags)	
PX0020M	With	Small version of PX0020, without tear-off zipper	114x190mm	80ml	1000pcs/carton (20pcsx50bags)	
AL-BG2720C	Without	Stand-up, zip-lip	270x200mm	400ml	400pcs/carton (25pcsx20bags)	
AL-BG3021C	Without	Stand-up, zip-lip	320x210mm	400ml	400pcs/carton (20pcsx20bags)	



Pipetting Display of PX0020



Tearing Display of AKJ-20 (as well as AKJ-10)